

Maintenance: Normal Service 15000 MI or 24000 KM

Inspect	
Brakes and Traction Control.....	_____
<i>Remove and install front and rear disc brake pads, check overall thickness. Examine brake disc surfaces. Clean brake pad contact point in calipers. Grease wheel centering hubs.</i>	
Parking Brake System.....	_____
<i>Check parking brake actuation. Adjust if necessary.</i>	
Replace	
Cabin Air Filter.....	_____
<i>Replace microfilters. Note: Reduce replacement interval in dusty operating conditions.</i>	
Engine Oil.....	_____
<i>Change engine oil and oil filter while engine is at operating temperature. BMW recommends BMW High Performance 5W-30 Synthetic oil P/N 07 51 0 017 866.</i>	
Oil Filter, Engine.....	_____
Reset	
Service Reminder Indicators.....	_____
<i>Reset Service Indicator. Note: Do not reset Service Indicator when additional oil changes (between the normal intervals) are requested by the customer.</i>	

 (S) = Service Warranty Requirement
 (E) = Emission Warranty Requirement
 (B) = Both Service and Emission Warranty Requirement

Maintenance: Normal Service 30000 MI or 48000 KM**Diagnose/Test**

Diagnostic Readout Box.....	_____
<i>Read out diagnostic system.</i>	
Vehicle.....	_____
<i>Road test with check of brakes, suspension, steering, clutch/manual transmission or automatic transmission.</i>	

Inspect

Air Bag Systems.....	_____
<i>Visually examine the SRS airbag units for torn covers, obvious damage or attachment of decals, decorations or accessories.</i>	
Battery.....	_____
<i>Check battery state-of-charge, and charge if required.</i>	
Body and Frame.....	_____
<i>Inspect entire body according to terms of rust perforation limited warranty (must be performed at least every two years).</i>	
Brake Fluid.....	_____
<i>Check level of brake and clutch fluid in reservoir. Add fluid if required. Replace brake fluid every 2 years (time interval begins from vehicles production date).</i>	
Brake Hose/Line.....	_____
<i>Check brake system connections and lines for leaks, damage, and incorrect positioning.</i>	
Brakes and Traction Control.....	_____
<i>Remove and install front and rear disc brake pads, check overall thickness. Examine brake disc surfaces. Clean brake pad contact point in calipers. Grease wheel centering hubs.</i>	
Cooling System.....	_____
<i>Check engine cooling system/heater hose connections for leaks. Check coolant level and antifreeze protection level; add coolant if necessary. Note: Coolant must be replaced every 4 years (time interval begins from vehicle's production date).</i>	
Doors, Hood and Trunk ((Latches)).....	_____
<i>Check operation of all latches.</i>	
Exhaust System.....	_____
<i>Check condition, position, and mounting of exhaust system. Examine for leaks.</i>	
Fluid - A/T.....	_____
<i>Check transmission for leaks.</i>	
Fluid - Differential.....	_____
<i>Check rear axle for leaks.</i>	
Fuel Supply Line.....	_____
<i>Visually check fuel tank, lines and connections for leaks.</i>	
Fuel Tank.....	_____
<i>Visually check fuel tank, lines and connections for leaks.</i>	
Half Shafts and Constant Velocity Joints.....	_____
<i>Half shafts: Check for leaks at flexible boots.</i>	
Heating and Air Conditioning.....	_____
<i>Check heater/air conditioner blower fan, rear window defogger. Check air conditioner for operation.</i>	
Instrument Panel, Gauges and Warning Indicators.....	_____
<i>Check instrument panel and dashboard illumination. Check all warning/indicator lights, check control.</i>	
Lighting and Horns.....	_____
<i>Check lighting system, i.e., headlights, foglights, parking, back-up, license plate, interior (including map reading lights), glove box, flashlight, illuminated make-up mirrors, luggage compartment lights. Check turn signals, hazard warning flashers, brake lights, horns, headlight dimmer/flasher switch.</i>	
Locks.....	_____
<i>Check central locking/double lock.</i>	
Mirrors.....	_____
<i>Check rear view mirrors.</i>	
Parking Brake System.....	_____
<i>Check parking brake actuation. Adjust if necessary.</i>	
Power Steering.....	_____
<i>Check power steering system for leaks. Check P/S fluid level; add fluid necessary.</i>	
Seat Belt Systems.....	_____
<i>Check condition and function of safety belts.</i>	
Steering.....	_____
<i>Check steering for absence of play, condition of suspension track rods, front axle joints, steering</i>	

linkage and joint disc.

Tires.....
Check all tire pressures (including spare). Correct if necessary. Check condition of tires (outer surfaces [left/right]), tread wear and pattern; in case of uneven tread wear readjust wheel alignment if requested. Note: If requested, rotate all four road wheels as instructed and rebalance.

Transfer Case.....
Check transfer case for leaks.

Wiper and Washer Systems.....
Check wipers and washer system(S); wiper blades, washer jet positions. Check windshield washer fluid level and antifreeze protection. Fill up and/or correct if necessary.

Replace

Cabin Air Filter.....
Replace microfilters. Note: Reduce replacement interval in dusty operating conditions.

Engine Oil.....
Change engine oil and oil filter while engine is at operating temperature. BMW recommends BMW High Performance 5W-30 Synthetic oil P/N 07 51 0 017 866.

Oil Filter, Engine.....

Reset

Service Reminder Indicators.....
Reset Service Indicator. Note: Do not reset Service Indicator when additional oil changes (between the normal intervals) are requested by the customer.

 (S) = Service Warranty Requirement

(E) = Emission Warranty Requirement

(B) = Both Service and Emission Warranty Requirement

Maintenance: Normal Service 45000 MI or 72000 KM

Inspect

Brakes and Traction Control.....	_____
<i>Remove and install front and rear disc brake pads, check overall thickness. Examine brake disc surfaces. Clean brake pad contact point in calipers. Grease wheel centering hubs.</i>	
Parking Brake System.....	_____
<i>Check parking brake actuation. Adjust if necessary.</i>	

Replace

Cabin Air Filter.....	_____
<i>Replace microfilters. Note: Reduce replacement interval in dusty operating conditions.</i>	
Engine Oil.....	_____
<i>Change engine oil and oil filter while engine is at operating temperature. BMW recommends BMW High Performance 5W-30 Synthetic oil P/N 07 51 0 017 866.</i>	
Oil Filter, Engine.....	_____

Reset

Service Reminder Indicators.....	_____
<i>Reset Service Indicator. Note: Do not reset Service Indicator when additional oil changes (between the normal intervals) are requested by the customer.</i>	

(S) = Service Warranty Requirement

(E) = Emission Warranty Requirement

(B) = Both Service and Emission Warranty Requirement

Maintenance: Normal Service 60000 MI or 96000 KM

Diagnose/Test

Diagnostic Readout Box.....	_____
<i>Read out diagnostic system.</i>	
Vehicle.....	_____
<i>Road test with check of brakes, suspension, steering, clutch/manual transmission or automatic transmission.</i>	

Inspect

Air Bag Systems.....	_____
<i>Visually examine the SRS airbag units for torn covers, obvious damage or attachment of decals, decorations or accessories.</i>	
Battery.....	_____
<i>Check battery state-of-charge, and charge if required.</i>	
Body and Frame.....	_____
<i>Inspect entire body according to terms of rust perforation limited warranty (must be performed at least every two years).</i>	
Brake Fluid.....	_____
<i>Check level of brake and clutch fluid in reservoir. Add fluid if required. Replace brake fluid every 2 years (time interval begins from vehicles production date).</i>	
Brake Hose/Line.....	_____
<i>Check brake system connections and lines for leaks, damage, and incorrect positioning.</i>	
Brakes and Traction Control.....	_____
<i>Remove and install front and rear disc brake pads, check overall thickness. Examine brake disc surfaces. Clean brake pad contact point in calipers. Grease wheel centering hubs.</i>	
Doors, Hood and Trunk ((Latches)).....	_____
<i>Check operation of all latches.</i>	
Exhaust System.....	_____
<i>Check condition, position, and mounting of exhaust system. Examine for leaks.</i>	
Fluid - A/T.....	_____
<i>Check transmission for leaks.</i>	
Fluid - Differential.....	_____
<i>Check rear axle for leaks.</i>	
Fuel Supply Line.....	_____
<i>Visually check fuel tank, lines and connections for leaks.</i>	
Fuel Tank.....	_____
<i>Visually check fuel tank, lines and connections for leaks.</i>	
Half Shafts and Constant Velocity Joints.....	_____
<i>Half shafts: Check for leaks at flexible boots.</i>	
Heating and Air Conditioning.....	_____
<i>Check heater/air conditioner blower fan, rear window defogger. Check air conditioner for operation.</i>	
Instrument Panel, Gauges and Warning Indicators.....	_____
<i>Check instrument panel and dashboard illumination. Check all warning/indicator lights, check control.</i>	
Lighting and Horns.....	_____
<i>Check lighting system, i.e., headlights, foglights, parking, back-up, license plate, interior (including map reading lights), glove box, flashlight, illuminated make-up mirrors, luggage compartment lights. Check turn signals, hazard warning flashers, brake lights, horns, headlight dimmer/flasher switch.</i>	
Locks.....	_____
<i>Check central locking/double lock.</i>	
Mirrors.....	_____
<i>Check rear view mirrors.</i>	
Parking Brake Pad.....	_____
<i>Check thickness of parking brake linings.</i>	
Parking Brake System.....	_____
<i>Check parking brake actuation. Adjust if necessary.</i>	
Power Steering.....	_____
<i>Check power steering system for leaks. Check P/S fluid level; add fluid necessary.</i>	
Seat Belt Systems.....	_____
<i>Check condition and function of safety belts.</i>	
Steering.....	_____
<i>Check steering for absence of play, condition of suspension track rods, front axle joints, steering linkage and joint disc.</i>	
Tires.....	_____

Check all tire pressures (including spare). Correct if necessary. Check condition of tires (outer surfaces [left/right]), tread wear and pattern; in case of uneven tread wear readjust wheel alignment if requested. Note: If requested, rotate all four road wheels as instructed and rebalance.

Transfer Case.....
Check transfer case for leaks.

Wiper and Washer Systems.....
Check wipers and washer system(S); wiper blades, washer jet positions. Check windshield washer fluid level and antifreeze protection. Fill up and/or correct if necessary.

Replace

Air Filter Element.....
Replace intake air cleaner element. NOTE: Reduce replacement interval in dusty operating conditions.

Cabin Air Filter.....
Replace microfilters. Note: Reduce replacement interval in dusty operating conditions.

Engine Oil.....
Change engine oil and oil filter while engine is at operating temperature. BMW recommends BMW High Performance 5W-30 Synthetic oil P/N 07 51 0 017 866.

Oil Filter, Engine.....

Reset

Service Reminder Indicators.....
Reset Service Indicator. Note: Do not reset Service Indicator when additional oil changes (between the normal intervals) are requested by the customer.

 (S) = Service Warranty Requirement

(E) = Emission Warranty Requirement

(B) = Both Service and Emission Warranty Requirement

Maintenance: Normal Service 75000 MI or 120000 KM

Inspect	
Brakes and Traction Control.....	_____
<i>Remove and install front and rear disc brake pads, check overall thickness. Examine brake disc surfaces. Clean brake pad contact point in calipers. Grease wheel centering hubs.</i>	
Parking Brake System.....	_____
<i>Check parking brake actuation. Adjust if necessary.</i>	
Replace	
Cabin Air Filter.....	_____
<i>Replace microfilters. Note: Reduce replacement interval in dusty operating conditions.</i>	
Engine Oil.....	_____
<i>Change engine oil and oil filter while engine is at operating temperature. BMW recommends BMW High Performance 5W-30 Synthetic oil P/N 07 51 0 017 866.</i>	
Oil Filter, Engine.....	_____
Reset	
Service Reminder Indicators.....	_____
<i>Reset Service Indicator. Note: Do not reset Service Indicator when additional oil changes (between the normal intervals) are requested by the customer.</i>	

 (S) = Service Warranty Requirement
 (E) = Emission Warranty Requirement
 (B) = Both Service and Emission Warranty Requirement

Maintenance: Normal Service 90000 MI or 140000 KM**Diagnose/Test**

Diagnostic Readout Box.....	___
<i>Read out diagnostic system.</i>	
Vehicle.....	___
<i>Road test with check of brakes, suspension, steering, clutch/manual transmission or automatic transmission.</i>	

Inspect

Air Bag Systems.....	___
<i>Visually examine the SRS airbag units for torn covers, obvious damage or attachment of decals, decorations or accessories.</i>	
Battery.....	___
<i>Check battery state-of-charge, and charge if required.</i>	
Body and Frame.....	___
<i>Inspect entire body according to terms of rust perforation limited warranty (must be performed at least every two years).</i>	
Brake Fluid.....	___
<i>Check level of brake and clutch fluid in reservoir. Add fluid if required. Replace brake fluid every 2 years (time interval begins from vehicles production date).</i>	
Brake Hose/Line.....	___
<i>Check brake system connections and lines for leaks, damage, and incorrect positioning.</i>	
Brakes and Traction Control.....	___
<i>Remove and install front and rear disc brake pads, check overall thickness. Examine brake disc surfaces. Clean brake pad contact point in calipers. Grease wheel centering hubs.</i>	
Doors, Hood and Trunk ((Latches)).....	___
<i>Check operation of all latches.</i>	
Exhaust System.....	___
<i>Check condition, position, and mounting of exhaust system. Examine for leaks.</i>	
Fluid - A/T.....	___
<i>Check transmission for leaks.</i>	
Fluid - Differential.....	___
<i>Check rear axle for leaks.</i>	
Fuel Supply Line.....	___
<i>Visually check fuel tank, lines and connections for leaks.</i>	
Fuel Tank.....	___
<i>Visually check fuel tank, lines and connections for leaks.</i>	
Half Shafts and Constant Velocity Joints.....	___
<i>Half shafts: Check for leaks at flexible boots.</i>	
Heating and Air Conditioning.....	___
<i>Check heater/air conditioner blower fan, rear window defogger. Check air conditioner for operation.</i>	
Instrument Panel, Gauges and Warning Indicators.....	___
<i>Check instrument panel and dashboard illumination. Check all warning/indicator lights, check control.</i>	
Lighting and Horns.....	___
<i>Check lighting system, i.e., headlights, foglights, parking, back-up, license plate, interior (including map reading lights), glove box, flashlight, illuminated make-up mirrors, luggage compartment lights. Check turn signals, hazard warning flashers, brake lights, horns, headlight dimmer/flasher switch.</i>	
Locks.....	___
<i>Check central locking/double lock.</i>	
Mirrors.....	___
<i>Check rear view mirrors.</i>	
Parking Brake System.....	___
<i>Check parking brake actuation. Adjust if necessary.</i>	
Power Steering.....	___
<i>Check power steering system for leaks. Check P/S fluid level; add fluid necessary.</i>	
Seat Belt Systems.....	___
<i>Check condition and function of safety belts.</i>	
Steering.....	___
<i>Check steering for absence of play, condition of suspension track rods, front axle joints, steering linkage and joint disc.</i>	
Tires.....	___
<i>Check all tire pressures (including spare). Correct if necessary. Check condition of tires (outer surfaces [left/right]), tread wear and pattern; in case of uneven tread wear readjust wheel</i>	

alignment if requested. Note: If requested, rotate all four road wheels as instructed and rebalance.

Transfer Case..... _____
Check transfer case for leaks.
Wiper and Washer Systems..... _____
Check wipers and washer system(S); wiper blades, washer jet positions. Check windshield washer fluid level and antifreeze protection. Fill up and/or correct if necessary.

Replace

Cabin Air Filter..... _____
Replace microfilters. Note: Reduce replacement interval in dusty operating conditions.
Engine Oil..... _____
Change engine oil and oil filter while engine is at operating temperature. BMW recommends BMW High Performance 5W-30 Synthetic oil P/N 07 51 0 017 866.
Oil Filter, Engine..... _____

Reset

Service Reminder Indicators..... _____
Reset Service Indicator. Note: Do not reset Service Indicator when additional oil changes (between the normal intervals) are requested by the customer.

(S) = Service Warranty Requirement
(E) = Emission Warranty Requirement
(B) = Both Service and Emission Warranty Requirement

Maintenance: Normal Service 100000 MI or 160000 KM

Replace

Fluid - A/T.....	_____
<i>BMW Automatic Transmission Service, change ATF and filter at intervals of 100,000mi.</i>	
Spark Plug.....	_____
<i>BMW Spark Plug Replacement, required at intervals of 100,000 mi.</i>	

(S) = Service Warranty Requirement
(E) = Emission Warranty Requirement
(B) = Both Service and Emission Warranty Requirement

Maintenance: Normal Service 105000 MI or 168000 KM

Inspect

Brakes and Traction Control.....	_____
<i>Remove and install front and rear disc brake pads, check overall thickness. Examine brake disc surfaces. Clean brake pad contact point in calipers. Grease wheel centering hubs.</i>	
Parking Brake System.....	_____
<i>Check parking brake actuation. Adjust if necessary.</i>	

Replace

Cabin Air Filter.....	_____
<i>Replace microfilters. Note: Reduce replacement interval in dusty operating conditions.</i>	
Engine Oil.....	_____
<i>Change engine oil and oil filter while engine is at operating temperature. BMW recommends BMW High Performance 5W-30 Synthetic oil P/N 07 51 0 017 866.</i>	
Oil Filter, Engine.....	_____

Reset

Service Reminder Indicators.....	_____
<i>Reset Service Indicator. Note: Do not reset Service Indicator when additional oil changes (between the normal intervals) are requested by the customer.</i>	

(S) = Service Warranty Requirement

(E) = Emission Warranty Requirement

(B) = Both Service and Emission Warranty Requirement

Maintenance: Normal Service 120000 MI or 192000 KM

Diagnose/Test

Diagnostic Readout Box.....	___
<i>Read out diagnostic system.</i>	
Vehicle.....	___
<i>Road test with check of brakes, suspension, steering, clutch/manual transmission or automatic transmission.</i>	

Inspect

Air Bag Systems.....	___
<i>Visually examine the SRS airbag units for torn covers, obvious damage or attachment of decals, decorations or accessories.</i>	
Battery.....	___
<i>Check battery state-of-charge, and charge if required.</i>	
Body and Frame.....	___
<i>Inspect entire body according to terms of rust perforation limited warranty (must be performed at least every two years).</i>	
Brake Fluid.....	___
<i>Check level of brake and clutch fluid in reservoir. Add fluid if required. Replace brake fluid every 2 years (time interval begins from vehicles production date).</i>	
Brake Hose/Line.....	___
<i>Check brake system connections and lines for leaks, damage, and incorrect positioning.</i>	
Brakes and Traction Control.....	___
<i>Remove and install front and rear disc brake pads, check overall thickness. Examine brake disc surfaces. Clean brake pad contact point in calipers. Grease wheel centering hubs.</i>	
Doors, Hood and Trunk ((Latches)).....	___
<i>Check operation of all latches.</i>	
Exhaust System.....	___
<i>Check condition, position, and mounting of exhaust system. Examine for leaks.</i>	
Fluid - A/T.....	___
<i>Check transmission for leaks.</i>	
Fluid - Differential.....	___
<i>Check rear axle for leaks.</i>	
Fuel Supply Line.....	___
<i>Visually check fuel tank, lines and connections for leaks.</i>	
Fuel Tank.....	___
<i>Visually check fuel tank, lines and connections for leaks.</i>	
Half Shafts and Constant Velocity Joints.....	___
<i>Half shafts: Check for leaks at flexible boots.</i>	
Heating and Air Conditioning.....	___
<i>Check heater/air conditioner blower fan, rear window defogger. Check air conditioner for operation.</i>	
Instrument Panel, Gauges and Warning Indicators.....	___
<i>Check instrument panel and dashboard illumination. Check all warning/indicator lights, check control.</i>	
Lighting and Horns.....	___
<i>Check lighting system, i.e., headlights, foglights, parking, back-up, license plate, interior (including map reading lights), glove box, flashlight, illuminated make-up mirrors, luggage compartment lights. Check turn signals, hazard warning flashers, brake lights, horns, headlight dimmer/flasher switch.</i>	
Locks.....	___
<i>Check central locking/double lock.</i>	
Mirrors.....	___
<i>Check rear view mirrors.</i>	
Parking Brake Pad.....	___
<i>Check thickness of parking brake linings.</i>	
Parking Brake System.....	___
<i>Check parking brake actuation. Adjust if necessary.</i>	
Power Steering.....	___
<i>Check power steering system for leaks. Check P/S fluid level; add fluid necessary.</i>	
Seat Belt Systems.....	___
<i>Check condition and function of safety belts.</i>	
Steering.....	___
<i>Check steering for absence of play, condition of suspension track rods, front axle joints, steering linkage and joint disc.</i>	
Tires.....	___

Check all tire pressures (including spare). Correct if necessary. Check condition of tires (outer surfaces [left/right]), tread wear and pattern; in case of uneven tread wear readjust wheel alignment if requested. Note: If requested, rotate all four road wheels as instructed and rebalance.

Transfer Case.....
Check transfer case for leaks.

Wiper and Washer Systems.....
Check wipers and washer system(S); wiper blades, washer jet positions. Check windshield washer fluid level and antifreeze protection. Fill up and/or correct if necessary.

- Replace**
- Air Filter Element.....
Replace intake air cleaner element. NOTE: Reduce replacement interval in dusty operating conditions.
 - Cabin Air Filter.....
Replace microfilters. Note: Reduce replacement interval in dusty operating conditions.
 - Engine Oil.....
Change engine oil and oil filter while engine is at operating temperature. BMW recommends BMW High Performance 5W-30 Synthetic oil P/N 07 51 0 017 866.
 - Oil Filter, Engine.....
 - Oxygen Sensor.....
BMW Oxygen Sensor Replacement, required at intervals of 120,000 miles.

- Reset**
- Service Reminder Indicators.....
Reset Service Indicator. Note: Do not reset Service Indicator when additional oil changes (between the normal intervals) are requested by the customer.

(S) = Service Warranty Requirement
(E) = Emission Warranty Requirement
(B) = Both Service and Emission Warranty Requirement

Maintenance: Normal Service 135000 MI or 216000 KM

Inspect

Brakes and Traction Control.....	_____
<i>Remove and install front and rear disc brake pads, check overall thickness. Examine brake disc surfaces. Clean brake pad contact point in calipers. Grease wheel centering hubs.</i>	
Parking Brake System.....	_____
<i>Check parking brake actuation. Adjust if necessary.</i>	

Replace

Cabin Air Filter.....	_____
<i>Replace microfilters. Note: Reduce replacement interval in dusty operating conditions.</i>	
Engine Oil.....	_____
<i>Change engine oil and oil filter while engine is at operating temperature. BMW recommends BMW High Performance 5W-30 Synthetic oil P/N 07 51 0 017 866.</i>	
Oil Filter, Engine.....	_____

Reset

Service Reminder Indicators.....	_____
<i>Reset Service Indicator. Note: Do not reset Service Indicator when additional oil changes (between the normal intervals) are requested by the customer.</i>	

(S) = Service Warranty Requirement

(E) = Emission Warranty Requirement

(B) = Both Service and Emission Warranty Requirement

Maintenance: Normal Service 150000 MI or 240000 KM**Diagnose/Test**

Diagnostic Readout Box.....	___
<i>Read out diagnostic system.</i>	
Vehicle.....	___
<i>Road test with check of brakes, suspension, steering, clutch/manual transmission or automatic transmission.</i>	

Inspect

Air Bag Systems.....	___
<i>Visually examine the SRS airbag units for torn covers, obvious damage or attachment of decals, decorations or accessories.</i>	
Battery.....	___
<i>Check battery state-of-charge, and charge if required.</i>	
Body and Frame.....	___
<i>Inspect entire body according to terms of rust perforation limited warranty (must be performed at least every two years).</i>	
Brake Fluid.....	___
<i>Check level of brake and clutch fluid in reservoir. Add fluid if required. Replace brake fluid every 2 years (time interval begins from vehicles production date).</i>	
Brake Hose/Line.....	___
<i>Check brake system connections and lines for leaks, damage, and incorrect positioning.</i>	
Brakes and Traction Control.....	___
<i>Remove and install front and rear disc brake pads, check overall thickness. Examine brake disc surfaces. Clean brake pad contact point in calipers. Grease wheel centering hubs.</i>	
Doors, Hood and Trunk ((Latches)).....	___
<i>Check operation of all latches.</i>	
Exhaust System.....	___
<i>Check condition, position, and mounting of exhaust system. Examine for leaks.</i>	
Fluid - A/T.....	___
<i>Check transmission for leaks.</i>	
Fluid - Differential.....	___
<i>Check rear axle for leaks.</i>	
Fuel Supply Line.....	___
<i>Visually check fuel tank, lines and connections for leaks.</i>	
Fuel Tank.....	___
<i>Visually check fuel tank, lines and connections for leaks.</i>	
Half Shafts and Constant Velocity Joints.....	___
<i>Half shafts: Check for leaks at flexible boots.</i>	
Heating and Air Conditioning.....	___
<i>Check heater/air conditioner blower fan, rear window defogger. Check air conditioner for operation.</i>	
Instrument Panel, Gauges and Warning Indicators.....	___
<i>Check instrument panel and dashboard illumination. Check all warning/indicator lights, check control.</i>	
Lighting and Horns.....	___
<i>Check lighting system, i.e., headlights, foglights, parking, back-up, license plate, interior (including map reading lights), glove box, flashlight, illuminated make-up mirrors, luggage compartment lights. Check turn signals, hazard warning flashers, brake lights, horns, headlight dimmer/flasher switch.</i>	
Locks.....	___
<i>Check central locking/double lock.</i>	
Mirrors.....	___
<i>Check rear view mirrors.</i>	
Parking Brake System.....	___
<i>Check parking brake actuation. Adjust if necessary.</i>	
Power Steering.....	___
<i>Check power steering system for leaks. Check P/S fluid level; add fluid necessary.</i>	
Seat Belt Systems.....	___
<i>Check condition and function of safety belts.</i>	
Steering.....	___
<i>Check steering for absence of play, condition of suspension track rods, front axle joints, steering linkage and joint disc.</i>	
Tires.....	___
<i>Check all tire pressures (including spare). Correct if necessary. Check condition of tires (outer surfaces [left/right]), tread wear and pattern; in case of uneven tread wear readjust wheel</i>	

alignment if requested. Note: If requested, rotate all four road wheels as instructed and rebalance.

Transfer Case..... _____
Check transfer case for leaks.
Wiper and Washer Systems..... _____
Check wipers and washer system(S); wiper blades, washer jet positions. Check windshield washer fluid level and antifreeze protection. Fill up and/or correct if necessary.

Replace

Cabin Air Filter..... _____
Replace microfilters. Note: Reduce replacement interval in dusty operating conditions.
Engine Oil..... _____
Change engine oil and oil filter while engine is at operating temperature. BMW recommends BMW High Performance 5W-30 Synthetic oil P/N 07 51 0 017 866.
Oil Filter, Engine..... _____

Reset

Service Reminder Indicators..... _____
Reset Service Indicator. Note: Do not reset Service Indicator when additional oil changes (between the normal intervals) are requested by the customer.

(S) = Service Warranty Requirement
(E) = Emission Warranty Requirement
(B) = Both Service and Emission Warranty Requirement